SCHOMBURG GmbH & Co. KG Aquafinstrasse 2-8

D-32760 Detmold - Germany phone +49-5231-953-00 fax +49-5231-953-108

mail export@schomburg.de web www.schomburg.de/en





Technical Data Sheet

ADIPLAST-P

Art.-No. 2 02445

Special-waterproofing admixture for producing high-quality plasters

Description:

ADIPLAST-P is a waterproofing plaster admixture designed to improve workabilty, cohesiveness, hydrophobic properties and increased built up thickness per layer in addition to a superb surface finish. The addition of ADIPLAST -P significantly reduces mixing, trowelling and finishing times due to the induced plasticising effect.

Primary Uses:

ADIPLAST-P is a normal setting waterproofing agent for producing integrally watertight wall-and fa-cade plasters, also against driving rain. The risk of moisture damage is greatly reduced by addition of ADIPLAST-P and the life expectancy of the building is considerably extended.

Advantages:

- Improved & extended working ability.
- Ready to use admixture.
- Increases resistance against aggressive influences.
- Reduced water absorption.
- Provides plasters with excellent hydrophobic properties.
- Improved cohesion.

Typical Properties:

Consistency: powder

Product preparation:


Add ADIPLAST-P to the sand-cement-mixture in appropriate dosage and pre-mix intensively before water addition. Due to its plasticising effect the appropriate water saving must be taken into consid-eration. Depending on type of mixer a mixing time of approx. 2-3 minutes is required.

Test results:


Test conditions: cement: mortar 1:6

(Cement:Standard Sand) dosage 2% to the cement weight slump approx. 145 mm storage +20° C/ 65 % relative air humidity

Capillary water absorption at 24 hours




Hydrophobication, water absorption at 24 hours



ADIPLAST-P

Percentage of Air Voids



Estimating & Supply:

Consumption: 1-2% by weight of cement in

parts by weight

Packaging: 1 and 25-kg packs

Storage & Shelf Life:

Use immediately once opened. 12 months when stored in well ventilated & dry conditions away from direct sunlight in original unopened packs.

Important notes:

- Proper aggregate selection is required. Trial mixes to asses compliance with project require-ments.
- Only suitable for non-reinforced concretes.

Please observe valid EU safety data sheet.